



Norse Environmental Services, Inc.
2100 Lakeview Avenue, Unit 3A
Dracut, MA 01826
Ph: (978) 649-9932
Website: www.norseenvironmental.com

August 6, 2025

Reading Conservation Commission
16 Lowell Street
Reading, MA 01867

Re: Enforcement Order
50 Johanna Drive
Reading, MA 01867

Commissioners;

Pursuant to the site walk and the Commission's request, the plan has been revised to incorporate the following modifications:

- Wetland flag 4A-1 was field located by survey and shown on the updated plan.
- The proposed fence line, marked by the pink ribbon, was field located by survey and shown on the updated plan.
- The (8) trees and (8) shrubs are proposed on the backside or resource area of the fence.
- The following notes are added to the plan:
 - The bottom sections of the fence shall have a 3.5" gap from the ground.
 - The oriental bittersweet (*Celastrus orbiculatus*) shall be cut and managed on site.
 - The offsite leaf piles shall be removed from the resource area and buffer zones.

Enclosed are (2) copies of this memo and Resource Area Restoration Plan, prepared by Fodera Engineering, latest revision date 8-5-25. If you have any questions or concerns, please do not hesitate to contact me.

Sincerely,

Maureen Herald

Maureen Herald, PWS, CWS

Cc: Mr. Gino Fodera